



Halogen non-reflector

7724 100W GY6.35 12V 1CT

Halogen non-reflector lamps offer high-quality light and are easy to install, replace and operate. All halogen non-reflector lamps incorporate a distortion-free quartz bulb and a precise positioning of the mounted filament. These ensure optimal beam performance and consistent, high light output. A wide range of wattages is available for a broad variety of applications, including projection systems. In addition you get all the proven advantages of halogen technology such as a full spectrum and a color rendering index (CRI) of 100 – the same as natural light and the best that it can be. Halogen lamps also create a comfortable warm white light, and they maintain their lumen output, with almost no reduction, throughout their lifetime.

Product data

• General Characteristics

Philips Code	7724
ANSI Code	EVA
LIF Code	M28
Cap-Base	GY6.35
Bulb Material	Quartz-UV Open
Filament Shape	Flat
Operating Position	s90
Main Application	Projection
Life to 50% failures	2000 hr

• Light Technical Characteristics

Color Rendering Index	100 Ra8
Color Temperature	3100 K
Technical	
Luminous Flux Lamp	2550 Lm

• Electrical Characteristics

Lamp Wattage	100 W
Voltage	12 V

• Luminaire Design Requirements

Pinch Temperature	350 (max) C
Bulb Temperature	900 (max) C

• Product Dimensions

Diameter D	11.5 (max) mm
Light Center Length L	29.75 (min), 30 (nom), 30.25 (max) mm
Pin Diameter P	1.20 (min), 1.25 (nom), 1.30 (max) mm
Filament Dimensions (WxH) [mm]	4.8x3.0


• Product Data

Order code	923872517103
Full product code	923872517103
Full product name	7724 100W GY6.35 12V 1CT
Order product name	7724 100W GY6.35 12V 1CT/10X10F
Pieces per pack	1
Packing configuration	10X10F
Packs per outerbox	100
Bar code on pack - EAN1	8711500409850
Bar code on intermediate packing - EAN2	8711500420091
Bar code on outerbox - EAN3	8711500423276
Logistic code(s) - 12NC	923872517103
Net weight per piece	2.600 gr

Dimensional drawing

PHILIPS

Dimensional drawing



7724 100W GY6.35 12V 1CT

Product	C (Norm)	C (Max)	D (Max)	L (Min)	L (Norm)	L (Max)	P (Min)	P (Norm)	P (Max)
7724 100W GY6.35 12V	-	-	11.5	29.75	30	30.25	1.20	1.25	1.30



© 2013 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2013, July 9
data subject to change