



Halogen non-reflector

7724I 100W GY6.35 12V 1CT

Halogen non-reflector lamps offer high-quality light and are easy to install, replace and operate. All halogen non-reflector lamps incorporate a distortion-free quartz bulb and a precise positioning of the mounted filament. These ensure optimal beam performance and consistent, high light output. A wide range of wattages is available for a broad variety of applications, including projection systems. In addition you get all the proven advantages of halogen technology such as a full spectrum and a color rendering index (CRI) of 100 – the same as natural light and the best that it can be. Halogen lamps also create a comfortable warm white light, and they maintain their lumen output, with almost no reduction, throughout their lifetime.

Product data

• General Characteristics

Philips Code	77241
ANSI Code	EVA
LIF Code	-
Cap-Base	GY6.35
Bulb Material	Quartz-UV Open
Filament Shape	Flat
Operating Position	s90
Main Application	Projection
Life to 50% failures	2000 hr

• Light Technical Characteristics

Color Rendering Index	100 Ra8
Color Temperature Technical	3100 K
Luminous Flux Lamp	2550 Lm

• Electrical Characteristics

Lamp Wattage	100 W
Voltage	12 V

• Luminaire Design Requirements

Pinch Temperature	350 (max) C
Bulb Temperature	900 (max) C

Dimensional drawing

• Product Dimensions

Diameter D Light Center Length L

Pin Diameter P

Filament Dimensions (WxH) [mm]

• Product Data

Order code Full product code Full product name Order product name Pieces per pack Packing configuration Packs per outerbox Bar code on pack -EAN1 Bar code on intermediate packing -EAN2 Bar code on outerbox - EAN3 Logistic code(s) -12NC Net weight per piece 11.5 (max) mm 29.75 (min), 30 (nom), 30.25 (max) mm 1.20 (min), 1.25 (nom), 1.30 (max) mm 4.8x3.0

923875717103 923875717103 7724I 100W GY6.35 12V 1CT 7724I 100W GY6.35 12V 1CT/ 10X10F 1 10X10F

100 8711500412805

2005040004771


8711500436603

923875717103

2.000 gr



Dimensional drawing



7724I 100W GY6.35 12V 1CT

Product	C (Norm)	C (Max)	D (Max)	L (Min)	L (Norm)	L (Max)	P (Min)	P (Norm)	P (Max)
7724I 100W GY6.35 12V	-	-	11.5	29.75	30	30.25	1.20	1.25	1.30



© 2013 Koninklijke Philips N.V. (Royal Philips) All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting